15 5 10 Mg B Fe Mo s Zn Mn



Tree and Shrub

PRODUCT DESCRIPTION

- Maintenance fertilizer for trees, shrubs and flowers.
- Formulated with nitrogen controlled **ES-COTE**[™] release.
- 50% of the nitrogen is derived from ES-COTE™ polymer-coated,suplhur-coated urea. ES-COTE™ slow-release nitrogen provides extended feeding.
- Provides a balanced intake of boron, iron, manganese, molybdenum and zinc to prevent deficiencies.
- Contains 2.5% of magnesium to help correct magnesium deficiencies.

PRODUCT ADVANTAGE

- ES-COTE[™] slow-release fertilizer uses breakthrough technology to provide a unique coating that allows gradual and consistent nutrient release delivering up to 8 weeks of continous feeding.
- Magnesium is crucial to healthy plant growth for the formation of chloyophyll and the storage of carbohydrates in the root system.
- The coating on **ES-COTE™** will also protect against nitrogen leaching losses during periods of intensive rainfall.

PRODUCT CHARACTERISTICS

Product Code:R525371Product Type:Fertilizer Trees, Shrubs and Flowerssize:Reg (SGN 225)Format:25 kgdensity:1152 kg/m3 (72 lb/ft3)

GUARANTEED MINIMUM ANALYSIS	%
Azote total (N)	15.00
6.6% Nitrogen from sulfer-coated urea and polymer	
8.8% Stabilized nitrogen	
6.6% Urea nitrogen	
Phosphoric Acid(P ₂ O ₅)	5.00
Soluble Potash (K ₂ O)	10.00
Magnesium(Mg)	2.50
Sulfur (S)	5.80
Boron (B) (real)	0.05
Copper (Cu) (real)	0.05
Iron (Fe) (real)	0.30
Manganese (Mn) (real)	0.12
Molybdenum (Mo) (real)	0.001
Zinc (Zn) (real)	0.11

INGREDIENTS

Urea, polymer coated urea and sulfur, DAP, muriate of potash, sulphate of potash and magnesium oxy ferrous sulfate, manganese oxy-sufate, oxy-zinc sulphate, sodium molybdate, borax.



Québec and Maritimes : 1 800 363 9436 Ontario and Western Canada : 1 877-785-1098



www.envirosol.ca

Tree and Shrub



APPLICATION RATE

- Extend on the fly at the foot of trees and shrubs.
- Hurdles: 1 kg to 3 m (10 ft) linear hedge. Apply in early May to early June and deciduous conifers. For shrubs blooming in spring, apply after flowering.

DIRECTIONS FOR USE

- Read the entire label before use. Apply only as directed.
- Apply only to dry foliage.
- IMPORTANT: It is recommended to apply fertilizers in the early morning. Irrigate after application, especially during periods of high temperatures (28°C or above). Avoid applying fertilizer to drought-stressed turf. If turf is under drought stress, irrigate before fertilizer application.
- a Irragating after application will accelerate initial green-up and will aid in the movement of fertilizer granules into the turf canopy.
- Apply after mowing to prevent particle pick-up by mowing equipment. To further reduce particle pick, do not collect clippings for one mowing after application.



PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not inhale. The fertilizer may cause irritation of eyes, nose, throat and skin. In case of contact with eyes, rinse thoroughly with water and consult a physician if symptoms occur. Keep out of reach of animals.

Rev1405



Québec and Maritimes : 1 800 363 9436 Ontario and Western Canada : 1 877-785-1098

