



Overseeding Solution with Sustane

PRODUCT DESCRIPTION

- All natural mixture including Suståne and Solu-Cal S.
- 50% premium turfgrass seed by weight. Composed of 22% Kentucky bluegrass, 48% Perennial ryegrass and 30% Creeping red fescue.
- Contains 7.4% calcium.
- Formulated for overseeding established lawns, starting new lawns and repairing bare spots.

SUGGESTED APPLICATIONS

- Bare Sport Repair or New Lawn: Loosen the top 5 to 7.5 cm (2 to 3 inches) of soil and apply at a rate of 1.7 kg/100 m² (3.5 lb/1,000 ft²). Best results occur when area is then lightly rolled to help maintain soil moisture around new seedlings.
- **Overseeding:** Mow grass closely and then loosen the top 6 mm (1/4 inch) of soil in thin areas. Apply at a rate of 0.6 kg/100 m² (1.2 lb/1,000 ft²) using a broadcast spreader. Best results occur when a topdressing material is added over top of the overseeding mixture to help maintain moisture around new seedlings.

PRODUCT CHARACTERISTICS

Product Code:R540470Product Type:Lawn Repair MixtureSize:Regular (SGN 225)Format:20 kgDensity:534 kg/m³ (33 lb/ft³)

GUARANTEED MINIMUM ANALYSIS	%
Total Nitrogen (N)	2.00
1.6% Water insoluble nitrogen (W.I.N)	
0.2% Other water soluble nitrogen 0.2% Ammoniacal nitrogen	
Phosphoric Acid (P ₂ O ₅)	3.00
Soluble Potash (K,O)	2.00
Calcium (Ca)	7.40
Magnesium (Mg)	0.50
Sulphur (S)	5.90
Iron (Fe)	0.25
Organic matter	29.00
Maximum moisture	10.00

INGREDIENTS

Fully composted turkey litter, Calcium sulphate, Turfgrass seed, Natural chelating agent: Carboxy™ organic acid.

Québec and Maritimes : **1 800 363 9436** Ontario and Western Canada: **1 877-785-1098**



www.envirosol.ca

Overseeding Solution



APPLICATION RATES (FOR LAWN)

Application Rates Bag kg/100 m ²		Nutrition Supplied kg/100 m² (lb/1,000 ft²)			Area Treated	
kg (lb)	(lb/1,000 ft²)	N	P ₂ O ₅	K ₂ O	m² (ft²)	
20 (44) 0.59 (1.2) 1.71 (3.5)	0.59 (1.2)	0.01 (0.02)	0.02 (0.03)	0.01 (0.02)	3,410 (36,740)	
	1.71 (3.5)	0.03 (0.07)	0.05 (0.11)	0.03 (0.07)	1,170 (12,600)	

DIRECTIONS FOR USE

- Read the entire label before use. Apply only as directed.
- Apply only to dry foliage.
- IMPORTANT: It is recommended to apply fertilizers in the early morning. Irrigate after application, especially during periods of high temperatures (28°C or above). Avoid applying fertilizer to drought-stressed turf. If turf is under drought stress, irrigate before fertilizer application.
- Irragating after application will accelerate initial green-up and will aid in the movement of fertilizer granules into the turf canopy.
- Apply after mowing to prevent particle pick-up by mowing equipment. To further reduce particle pick, do not collect clippings for one mowing after application.

Format $20_{
m kg}$

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not inhale. The fertilizer may cause irritation of eyes, nose, throat and skin. In case of contact with eyes, rinse thoroughly with water and consult a physician if symptoms occur. Keep out of reach of animals.

Suståne is a registered trademark of Natural Fertilizer of America, Inc. Solu-Cal S is a trademark of Enviro-Sol. Rev1412



Québec and Maritimes : **1 800 363 9436** Ontario and Western Canada : **1 877-785-1098**

