





Maintenance 25% ES-COTETM

PRODUCT DESCRIPTION

- Organic-based maintenance fertilizer.
- 25% of the nitrogen is derived from **ES**-**COTE™** polymer-coated,sulphur-coated urea. **ES-COTE™** slow-release nitrogen provides extended feeding.
- Phosphorus free.

PRODUCT BENEFITS

- **ES-COTE™** slow-release fertilizer uses breakthrough technology to provide a unique coating that allows gradual and consistent nutrient release delivering up to 8 weeks of continous feeding.
- The release of nitrogen, depending on soil moisture conditions occurs predictably over time, allowing you to plan your applications according to the needs of the plant.
- The coating on **ES-COTE™** will also protect against nitrogen leaching losses during periods of intensive rainfall.

PRODUCT CHARACTERISTICS

Product Code: R525679

Product Type: Organic-based fertilizer

Size: Regular (SGN 225)

Format: 25 kg

Density: 1,008 kg/m³ (63 lb/ft³)

Coverage: 14,700 ft² @ 3.8 lb/1,000 ft²

11,020 ft2 @ 5.0 lb/1,000 ft2

GUARANTEED MINIMUM ANALYSIS %	
Total Nitrogen (N)20.00	
4.7% Nitrogen from Polymer-coated, sulphur-coated urea	
0.7% Water insoluble nitrogen (W.I.N)	
14.6% Urea Nitrogen	
Soluble Potash (K ₂ O)12.00	
Calcium (Ca)1.20	
Organic Matter 15.00	

INGREDIENTS

Urea, Polymer-coated, sulphur-coated urea, Composted poultry manure and Muriate of potash.





Maintenance 25% ES-COTETM

20

0

12

APPLICATION RATES

Bag kg (lb)	Application Rates kg/100 m² (lb/1,000 ft²)	Nutrition Supplied kg/100 m² (lb/1,000 ft²)			Area Treated
		N	P ₂ O ₅	K ₂ O	m² (ft²)
	1.8 (3.75)	0.37 (0.75)		0.22 (0.45)	1,366 (14,700)
25 (55)	2.4 (5)	0.49 (1.0)		0.29 (0.6)	1,024 (11,020)

DIRECTIONS FOR USE

- Read the entire label before use. Apply only as directed.
- Apply only to dry foliage.
- IMPORTANT: It is recommended to apply fertilizers in the early morning. Irrigate after application, especially during periods of high temperatures (28°C or above). Avoid applying fertilizer to drought-stressed turf. If turf is under drought stress, irrigate before fertilizer application.
- Irragating after application will accelerate initial green-up and will aid in the movement of fertilizer granules into the turf canopy.
- Apply after mowing to prevent particle pick-up by mowing equipment. To further reduce particle pick, do not collect clippings for one mowing after application.

Format

 $25\,{}_{
m kg}$

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not inhale. The fertilizer may cause irritation of eyes, nose, throat and skin. In case of contact with eyes, rinse thoroughly with water and consult a physician if symptoms occur. Keep out of reach of animals.

ES-COTE™ is a trademark of Enviro-Sol Rev1505

