

20 0 12 Ca



Regular  
SGN 225

## Maintenance 50% ES-COTE™

### PRODUCT DESCRIPTION

- Organic based maintenance fertilizer.
- 50% of the nitrogen is derived from ES-COTE™ polymer-coated, sulphur-coated urea. ES-COTE™ slow-release nitrogen provides extended feeding.
- Phosphorus free.

### PRODUCT BENEFITS

- ES-COTE™ slow-release fertilizer uses breakthrough technology to provide a unique coating that allows gradual and consistent nutrient release delivering up to 8 weeks of continuous feeding.
- The release of nitrogen, depending on soil moisture conditions occurs predictably over time, allowing you to plan your applications according to the needs of the plant.
- The coating on ES-COTE™ will also protect against nitrogen leaching losses during periods of intensive rainfall.

### PRODUCT CHARACTERISTICS

- Product Code:** R525672
- Product Type:** Organic based fertilizer
  - size:** Regular (SGN 225)
- Format:** 25 kg
- density:** 1008 kg/m<sup>3</sup> (63 lb/ft<sup>3</sup>)
- cover:** @ 1024 m<sup>2</sup> 2.4 m<sup>2</sup> Kg/1000

### GUARANTEED MINIMUM ANALYSIS

	%
Total Nitrogen (N) .....	20.00
9.4% Nitrogen from sulfur-coated urea and polymer	
0.7% Water insoluble nitrogen (W.I.N)	
9.9% Urea Nitrogen	
Soluble Potash (K <sub>2</sub> O) .....	12.00
Calcium (Ca) .....	1.20
Organic Matter .....	15.00

### INGREDIENTS

Urea, sulfur-coated urea and polymer, muriate of potash and composted poultry manure.



# Maintenance 50% ES-COTE™

20 0 12

## APPLICATION RATES

Bag kg (lb)	Application Rates kg/100 m <sup>2</sup> (lb/1000 pi <sup>2</sup> )	Nutrition Supplied kg/100 m <sup>2</sup> (lb/1000 pi <sup>2</sup> )			Area Treated m <sup>2</sup> (pi <sup>2</sup> )
		N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O	
25 (55)	1.8 (3.75)	0.37 (0.75)		0.22 (0.45)	1366 (14697)
	2.4 (5)	0.49 (1.0)		0.29 (0.6)	1024 (11023)

## DIRECTIONS FOR USE

- Read the entire label before use. Apply only as directed.
- Apply only to dry foliage.
- IMPORTANT: It is recommended to apply fertilizers in the early morning. Irrigate after application, especially during periods of high temperatures (28°C or above). Avoid applying fertilizer to drought-stressed turf. If turf is under drought stress, irrigate before fertilizer application.
- Irrigating after application will accelerate initial green-up and will aid in the movement of fertilizer granules into the turf canopy.
- Apply after mowing to prevent particle pick-up by mowing equipment. To further reduce particle pick, do not collect clippings for one mowing after application.

Format

25 kg

## PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not inhale. The fertilizer may cause irritation of eyes, nose, throat and skin. In case of contact with eyes, rinse thoroughly with water and consult a physician if symptoms occur. Keep out of reach of animals.  
Rev1405

Québec and Maritimes : 1 800 363 9436 Ontario and Western Canada : 1 877-785-1098

[www.envirosol.ca](http://www.envirosol.ca)

**EnviroSol**  
THE FERTILIZER SOLUTION