



Classic - 50% ES-COTE™

PRODUCT DESCRIPTION

- 50% Controled release nitrogen.
- 50% of the nitrogen is derived from ES-COTE™ polymer-coated, sulphur-coated urea.
 ES-COTE™ slow-release nitrogen provides extended feeding.

PRODUCT BENEFITS

- ES-COTE[™] slow-release fertilizer uses breakthrough technology to provide a unique coating that allows gradual and consistent nutrient release delivering up to 8 weeks of continuous feeding.
- The coating on **ES-COTE™** will also protect against nitrogen leaching losses during periods of intensive rainfall.

PRODUCT CHARACTERISTICS

Product Code:R525553Product Type:Fertilizer for turfSize:Reg (SGN 225)Net Weight:25 kgDensity:1,056 kg/m³ (66 lb/pi³)Coverage:1,024 m² @ 2,4 kg/1000 m²

GUARANTEED MINIMUM ANALYSIS	%
Total Nitrogen (N)	20.00
9.3% Nitrogen from Polymer-coated	
sulphur-coated urea	
8.7% Urea Nitrogen	
2.0% Ammonium Nitrogen	
Available Phosphoric Acid (P ₂ O ₅)	5.00
Soluble Potash (K ₂ O)	10.00

INGREDIENTS: Urea, Polymer-coated sulphur-coated urea, Muriate of potash and Ammonium phosphate.





Ontario and Western Canada: 1-877-785-1098 Quebec and Maritimes: 1-800-363-9436

www.envirosol.ca

Classic - 50% ES-COTE™



APPLICATION RATES

Bag	Application rate kg/100 m ²		Nutrients supplied kg/100 m² (lb/1000 pi²)		Area covered	
kg (lb)	(lb/1000 pi²)	N	P ₂ O ₅	K ₂ O	m² (pi²)	
25 (55)	1.8 (3.75)	0.37 (0.75)	0.09 (0.19)	0.18 (0.38)	1,366 (14,697)	
	2.4 (5)	0.49 (1.0)	0.12 (0.25)	0.24 (0.50)	1,024 (11,023)	

DIRECTIONS FOR USE

- Read the entire label before use. Apply only as directed.
- IMPORTANT: It is recommended to apply fertilizers in the early morning. Water in after application, especially during periods of high temperatures (30°C or above). Avoid applying fertilizer to drought-stressed turf. If turf is under drought stress, irrigate before fertilizer application.
- Irrigating after application will accelerate initial green-up and will aid in the movement of fertilizer granules into the turf canopy.



PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin and eyes. Always wear proper personal protective equipment. Long sleeve shirts, long pants, goggles and rubber gloves are recommended when handling the fertilizer. Wash thoroughly after handling.

Observe all precautions on the label and read the material safety data sheet before use. Avoid contaminating waterways and sewers during cleaning of equipment or disposal of wastes, always adhering to applicable provisions of federal, provincial, and local laws and regulations.

FIRST AID: In case of contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Wash clothing before reuse. In case of contact with eyes, flush eyes with plenty of water and call a physician if symptoms occur. INGESTION: If swallowed, drink 1 or 2 glasses of water. Immediately call a physician or a Poison Control Center and follow their instructions. Do not induce vomiting or give anything by mouth to an unconscious person.

*ES-COTE™ is a trademark of Enviro-Sol. * UFLEXX™ is a trademark of Koch Fertilizer, LLC. rev1506



Ontario and Western Canada : 1-877-785-1098 Quebec and Maritimes : 1-800-363-9436

www.envirosol.ca