

26

2

10

Premium  
SGN 200

70% UFLEXX™

## PRODUCT DESCRIPTIONS

- 70% of the nitrogen is derived from **UFLEXX™** stabilized nitrogen. Stabilized nitrogen technology is the solution to nitrogen loss, ensuring optimum fertilizer efficiency while being more environmentally responsible.

## PRODUCT BENEFITS

- UFLEXX™** improves nitrogen efficiency, reduces nitrogen loss due to volatilization, leaching and denitrification. The result is an excellent nitrogen source with improved nitrogen efficiency, and an extended response of up to 6 - 8 weeks.

## PRODUCT CHARACTERISTICS

**Product Code:** R540239

**Product Type:** Fairway and Rough fertilizer

**Size:** Regular (SGN 200)

**Net Weight:** 25 kg

**Density:** 993 kg/m<sup>3</sup> (62 lb/ft<sup>3</sup>)

**Coverage:** 12 320 ft<sup>2</sup> to 3,6 lb/1000 ft<sup>2</sup>

## GUARANTEED MINIMUM ANALYSIS

	%
Total Nitrogen (N) .....	26.00
25.2% Urea Nitrogen*	
0.8% Ammoniacal nitrogen	
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> ) .....	2.00
Soluble Potash (K <sub>2</sub> O) .....	10.00

\* 16.9% Stabilized Nitrogen from DCD (dicyandiamide) and N-(n-butyl)-thiophosphoric triamide.

## INGREDIENTS

Urea, Ammonium phosphate, Muriate of potash

**UFLEXX**  
STABILIZED NITROGEN

Ontario and Western Canada : 1-877-785-1098 Quebec and Maritimes : 1-800-363-9436

[www.envirosol.ca](http://www.envirosol.ca)

**EnviroSol**  
THE FERTILIZER SOLUTION

## APPLICATION RATES

Bag kg (lb)	Application Rate kg/100 m <sup>2</sup> (lb/1,000 ft <sup>2</sup> )	Application Rate kg/ha (lb/acre)	Nutrients supplied kg/100 m <sup>2</sup> (lb/1,000 ft <sup>2</sup> )			Area Covered m <sup>2</sup> (ft <sup>2</sup> )	Bags required per hectare (acre)
			N	P <sub>2</sub> O <sub>5</sub>	K <sub>2</sub> O		
25 (55)	1.88 (3.85)	188 (168)	0.49 (1.0)	0.04 (0.08)	0.19 (0.38)	1,330	7.5 (3.0)

## DIRECTIONS FOR USE

- Read the entire label before use. Apply only as directed.
- IMPORTANT: It is recommended to apply fertilizers in the early morning. Water in after application, especially during periods of high temperatures (28°C or above). Avoid applying fertilizer to drought-stressed turf. If turf is under drought stress, water before fertilizer application.
- Watering in after application will accelerate initial green-up and will aid in the movement of fertilizer granules into the turf canopy.
- This product is intended for use in the fall or early spring and applied to higher cut turf only

Water In



Net Weight

25 kg

## RECOMMANDATIONS DU RÉGLAGE DES ÉPANDEURS

Pour obtenir une meilleure distribution, calibrer l'épandeur avant l'application.

Épandeur rotatif	Vitesse d'avancement km/h (mph)	Largeur d'application m (pi)	Taux 1,5 kg/100 m <sup>2</sup> (3,1 lb/1000 pi <sup>2</sup> )	Taux 2,2kg/100 m <sup>2</sup> (4,5 lb/1000 pi <sup>2</sup> )
Accupro 2000	5 (3)	3.5 (12)	I	J
Scotts R-8A	5 (3)	3.5 (12)	I ½	J ½
Prizelawn BF-1 / CBR III	5 (3)	3.5 (12)	I ½	J ½
Earthway Rotary	5 (3)	3.5 (12)	18	20
Lesco (Lettre / Numérique)	5 (3)	3.5 (12)	E / 12	E / 13
Cyclone / Spyker	5 (3)	3.5 (12)	4.25	4.5
Lely Modèles WTR, WFR, HR, 1250 (PTO à 450 rpm)	7 (4.5)	12 (40)	4.75	5.25
Vicon (Série 3 - Bec standard)	7 (4.5)	12 (40)	19	22

**Note:** Tous les repères de calibration listés au verso s'appliquent selon un tracé d'application roue-à-roue (100% chevauchement). Les paramètres de l'épandeur doivent être utilisés uniquement à titre de point de départ car l'âge, l'usure et la vitesse de l'épandeur auront un impact sur le taux réel appliqué.

## PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin and eyes. Always wear proper personal protective equipment. Long sleeve shirt, long pants, goggles and natural or butyl gloves recommended when handling the fertilizer. Wash thoroughly after handling. Observe all precautions on label and read material safety data sheet before use. Avoid contaminating waterways and sewers during cleaning of equipment or disposal of wastes, always adhering to applicable provisions of federal, provincial, and local laws and regulations.

FIRST AID: In case of contact, immediately wash skin with soap and plenty of water. Remove contaminated clothing. Wash clothing before reuse. In case of contact with eyes, flush eyes with plenty of water and call a physician if symptoms occur. INGESTION: If swallowed, drink 1 or 2 glasses of water. Immediately call a physician or a Poison Control Center and follow their instructions. Do not induce vomiting or give anything by mouth to an unconscious person.

\* UFLEXX® is a trademark of Koch Fertilizer, LLC.  
Rev1510