



Solu-Cal[®]

PRODUCT DESCRIPTIONS

- Enhanced, granulated Calcitic lime (Calcium carbonate) with **CARBOXY®** organic acid.
- Use to adjust the pH of acidic soils.
- Contains 36% calcium
- Requires one quarter as much product as a conventional lime.

PRODUCT BENEFITS

- Soil amendment with calcium carbonate and organic chelating agent CARBOXY[™].
- Used to supply AVAILABLE calcium in the spring and summer. Plants become less prone to diseases and environmental stress.
- The carboxylic acids (CARBOXY®) contained in this fertilizer promote root development and increase the plant's ability to absorb nutrients in the soil, even less mobile elements such as calcium.
- The role of calcium is to promote cell growth and strengthen cell walls. Calcium makes the plant more tolerant of environmental stresses.

PRODUCT CHARACTERISTICS

R526050 (Reg), F245210 (Mini)
Amendement to adjust soil pH
Reg (SGN 225), Mini (SGN 145)
20 kg
1,220 kg/m³ (76 lb/ft³) (Mini)
1,420 kg/m³ (89 lb/ft³) (Regular)
8,820 ft ² at 5 lb/1,000 ft ²
4,410 ft ² at 10 lb/1,000ft ²

GUARANTEED MINIMUM ANALYSIS

Calcium total (Ca)	36.00
Calcium total as CaCO ₃	95.50
Effective Neutralizing Value (CaCO ₃)	96.00
Efficacy	97.70
Calcium Carbonate Equivilence	93.80

%

Particle sizing

Sieve	% Passing
2 mm	100.00
0.15 mm	94.30

INGREDIENTS

Calcium carbonate, Natural chelating agent: CARBOXY® organic acid.



Ontario and Western Canada : 1-877-785-1098 Quebec and Maritimes : 1-800-363-9436

www.envirosol.ca

Solu-Cal[®]



APPLICATION RATES

Bag kg	Application Rate	Application Rate	Nutrients supplied kg/100 m² (lb/1,000 ft²)			Area Covered m ² (ft ²)	Bags required per
(lb)	kg/100 m ² (lb/1,000 ft ²)	kg/ha (Ib/acre)	Са	-	-		hectare (acre)
20	2.4 (5.0)	244 (218)	0.8 (1.8)	-	-	820 (8,820)	12.2 (4.9)
(44)	4.9 (10.0)	488 (435)	1.8 (3.6)	-	-	410 (4,410)	24 (9.9)

DIRECTIONS FOR USE

- Read directions before using. Apply only as recommended.
- Follow soil test recommendations for application rates regarding the adjustment of soil pH and calcium levels.
- For new construction, application rate can be higher if the Solu Cal[®] is mechanically incorporated into the soil.
- Irrigating after application will aid in the movement of fertilizer granules into the turf canopy.

SUGGESTED SPREADER SETTINGS (Mini - SGN 145) To provide proper distribution, calibrate spreader before application.

Rotary Spreader	Ground Speed km/h (mph)	Width of Application m (ft)	Rate 2.5 kg/100 m ² (5 lb/1000 ft ²)	Rate 5 kg/100 m ² (10 lb/1000 ft ²)
Accupro 2000	5 (3)	3 (10)	Н ½	K ½
Scotts R-8A	5 (3)	3 (10)	I	L
Prizelawn BF-1 / CBR III	5 (3)	3 (10)	J	М
Earthway Rotary	5 (3)	3 (10)	11	14
Lesco (Letter / Numeric)	5 (3)	3 (10)	D ½ / 11	E / 13
Cyclone / Spyker	5 (3)	3 (10)	4	5
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm)	7 (4.5)	12 (40)	4.75	6.25
Vicon (03 Series - Standard Spout)	7 (4.5)	12 (40)	21	28

SUGGESTED SPREADER SETTINGS (Regular - SGN 225)

Rotary Spreader	Ground Speed km/h (mph)	Width of Application m (pi)	Rate 2.5 kg/100 m ² (5 lb/1000 ft ²)	Rate 5 kg/100 m ² (10 lb/1000 ft ²)
Accupro 2000	5 (3)	3.5 (12)	G ½	H ½
Scotts R-8A	5 (3)	3.5 (12)	Н	I
Prizelawn BF-1 / CBR III	5 (3)	3.5 (12)	Н	J
Earthway Rotary	5 (3)	3.5 (12)	12.5	14.5
Lesco (Letter / Numeric)	5 (3)	3.5 (12)	D / 10	D ½ / 11
Cyclone / Spyker	5 (3)	3.5 (12)	3.75	4
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm)	7 (4.5)	12 (40)	5.75	7
Vicon (03 Series - Standard Spout)	7 (4.5)	12 (40)	24	28

Note: All calibration starting points given on back are for wheel-to-wheel coverage (100% overlap). The spreader settings should only be used for calibration starting points as age, wear and speed of spreader will impact actual applied rate.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not inhale. Fertilizer may cause irritation of eyes, nose, throat and skin. In case of contact with eyes, flush with plenty of water; seek medical attention.

* Solu-Cal[®] and CARBOXY[®] are trademarks of Enviro-Sol. Rev1405

Ontario and Western Canada: 1-877-785-1098 Quebec and Maritimes: 1-800-363-9436



www.envirosol.ca

Net Weight
20 kg